

Table of Contents

B4A .gitignore	1
GO .gitignore	1
FPC .gitignore	2

B4A .gitignore

```
*.dex
*.apk
*.java
*.class
Objects
/CHANGELOG
```

GO .gitignore

```
# ---> Go
# Compiled Object files, Static and Dynamic libs (Shared Objects)
*.o
*.a
*.so

# Folders
_obj
_test

# Architecture specific extensions/prefixes
*.[568vq]
[568vq].out

*.cgo1.go
*.cgo2.c
_cgo_defun.c
_cgo_gotypes.go
_cgo_export.*

_testmain.go

*.exe
*.test
*.prof

# Database
*.db

# Builds
builds
/CHANGELOG
```

FPC .gitignore

```
# ---> FPC
# FPC compiler-generated binaries (safe to delete)
*.exe
*.dll
*.bpl
*.bpi
*.dcp
*.so
*.apk
*.drc
*.map
*.dres
*.rsm
*.tds
*.dcu
*.lib
modules
lib
backup
*.dbg

*.cfg
*Resource.rc

# local files (user-specific info)
*.local
*.identcache
*.projdata
*.tvsconfig
*.dsk

# history
__history/
*.*
*.stat
```

From:
<https://esgr.in/wiki/> - eSGR Documentation

Permanent link:
<https://esgr.in/wiki/development/gitignore>

Last update: **2020/06/25 16:47**

