

# Table of Contents

B4A .gitignore .....	1
GO .gitignore .....	1



## B4A .gitignore

```
<clippy> *.dex *.apk *.java *.class Objects </clippy>
```

```
*.dex  
*.apk  
*.java  
*.class  
Objects
```

## GO .gitignore

```
<clippy> # --> Go # Compiled Object files, Static and Dynamic libs (Shared Objects) *.o *.a *.so  
# Folders _obj _test  
# Architecture specific extensions/prefixes *.[568vq] [568vq].out  
*.cgo1.go *.cgo2.c _cgo_defun.c _cgo_gotypes.go _cgo_export.*  
_testmain.go  
*.exe *.test *.prof  
# Database *.db  
# Builds builds </clippy>
```

```
# ---> Go  
# Compiled Object files, Static and Dynamic libs (Shared Objects)  
*.o  
*.a  
*.so  
  
# Folders  
_obj  
_test  
  
# Architecture specific extensions/prefixes  
*.[568vq]  
[568vq].out  
  
*.cgo1.go  
*.cgo2.c  
_cgo_defun.c  
_cgo_gotypes.go  
_cgo_export.*
```

```
_testmain.go
```

```
*.exe  
*.test  
*.prof
```

```
# Database  
*.db
```

```
# Builds  
builds
```

From:  
<https://esgr.in/wiki/> - **eSGR Documentation**

Permanent link:  
<https://esgr.in/wiki/development/gitignore?rev=1467047553>

Last update: **2016/06/27 17:12**

