

Table of Contents

B4A .gitignore	1
GO .gitignore	1

B4A .gitignore

```
<clippy> *.dex *.apk *.java *.class Objects </clippy>
```

```
*.dex
*.apk
*.java
*.class
Objects
/CHANGELOG
```

GO .gitignore

```
<clippy> # -> Go # Compiled Object files, Static and Dynamic libs (Shared Objects) *.o *.a *.so
# Folders _obj _test
# Architecture specific extensions/prefixes *.[568vq] [568vq].out
*.cgo1.go *.cgo2.c _cgo_defun.c _cgo_gotypes.go _cgo_export.*
_testmain.go
*.exe *.test *.prof
# Database *.db
# Builds builds </clippy>
```

```
# ---> Go
# Compiled Object files, Static and Dynamic libs (Shared Objects)
*.o
*.a
*.so

# Folders
_obj
_test

# Architecture specific extensions/prefixes
*.[568vq]
[568vq].out

*.cgo1.go
*.cgo2.c
_cgo_defun.c
_cgo_gotypes.go
```

```
_cgo_export.*  
  
_testmain.go  
  
*.exe  
*.test  
*.prof  
  
# Database  
*.db  
  
# Builds  
builds
```

From:
<https://esgr.in/wiki/> - **eSGR Documentation**

Permanent link:
<https://esgr.in/wiki/development/gitignore?rev=1482357549>

Last update: **2016/12/21 21:59**

