

Table of Contents

- Clear DNS** 1
- Operating Systems** 1
- Windows 1
- XP, 2000, VISTA, 7, 8, 8.1, 10, 11 1
- MAC OS 1
- 10.10 1
- 10.7, 10.8, 10.9 1
- 10.2, 10.3, 10.4, 10.5, 10.6 1
- Linux 2
- systemd 2
- nscd 2
- dnsmasq 2
- BIND 2
- Routers** 3
- CISCO 3
- IOS 3
- Juniper 3
- JunOS 3
- FritzBox 3
- Other Hardware** 4
- Synology 4
- DSM 6 4
- DSM 7 4
- Web Browsers** 4
- Google Chrome 4
- Microsoft Edge 4

Difficulty



Very easy

Clear DNS

Operating Systems

Windows

XP, 2000, VISTA, 7, 8, 8.1, 10, 11

Open a Command Prompt with Administrative Privileges and type

- `ipconfig /flushdns`

MAC OS

10.10

Open a Terminal and type

- `sudo discoveryutil mdnsflushcache`

- `sudo dscacheutil -flushcache`

10.7, 10.8, 10.9

Open a Terminal and type

- `sudo killall -HUP mDNSResponder`

- `sudo dscacheutil -flushcache`

10.2, 10.3, 10.4, 10.5, 10.6

Open a Terminal and type

- `sudo dscacheutil -flushcache`

Linux

systemd

Open a Terminal and type *

```
resolvectl flush-caches
```

nscd

Open a Terminal and type

- Restart service

```
service nscd restart
```

- Reload Service

```
service nscd reload
```

dnsmasq

Open a Terminal and type

- Restart service

```
service dnsmasq restart
```

BIND

Open a Terminal and type

- Restart service

```
rndc restart
```

- Flush specific domain

```
rndc flushname domain.tld
```

- Flush view (LAN)

```
rncd flush lan
```

Routers

CISCO

IOS

Switch to enable mode

- Clear specific domain

```
clear host domain.tld
```

- Clear all domains

```
clear host *
```

Juniper

JunOS

- Clear all domains

```
clear dns
```

- Clear specific domain

```
clear security dns-cache domain.tld
```

FritzBox



The latest versions of the firmware do not allow for telnet, in those cases a router restart is required

Enable Telnet mode by dialing: #96*7* Connect with a telnet client to the router and type

- Stop DNS Service

```
multid -s
```

- Start DNS Service

```
multid
```

Other Hardware

Synology

DSM 6

As a root user use the following to restart named.

```
synoservice --restart pkgctl-DNSServer
```

DSM 7

As a root user use the following to restart named.

```
systemctl restart pkgctl-DNSServer.service
```

Web Browsers

Google Chrome

Visit the following URL

```
chrome://net-internals/#dns
```

In the page click on the Clear host cache button.

Microsoft Edge

Visit the following URL

```
edge://net-internals/#dns
```

In the page click on the Clear host cache button.

From:
<https://esgr.in/wiki/> - eSGR Documentation

Permanent link:
https://esgr.in/wiki/network/clear_dns

Last update: **2021/11/19 23:52**



