

Table of Contents

RAID	1
<i>Copy Partition Scheme</i>	1
In one step	1
Get Disk Serial	1
<i>Check RAID Status</i>	1
Remove a Malfunctioning Disk	1
Add New Disk in Array	2

RAID

Copy Partition Scheme

Save to file

```
sfdisk -d /dev/sda > partitions
```

Restore from File and force

```
sfdisk --force /dev/sda < partitions
```

In one step

```
sfdisk -d /dev/sda | sfdisk /dev/sdb
```

Get Disk Serial

Using smartctl

```
smartctl -i /dev/sda
```

Check RAID Status

```
cat /proc/mdstat
```

Remove a Malfunctioning Disk

Do the Following for all partitions of the malfunctioning disk. Note that mark as fail is not necessary or even possible in case the disk is not detected anymore from the OS.

Mark partition as failed

```
mdadm --manage /dev/md0 --fail /dev/sda1
```

Remove Partition

```
mdadm --manage /dev/md0 --remove /dev/sda1
```

Add New Disk in Array

Repeat for all required partitions

```
mdadm --manage /dev/md0 --add /dev/sda1
```

From:
<https://esgr.in/wiki/> - eSGR Documentation



Permanent link:
<https://esgr.in/wiki/operations/raid?rev=1513956750>

Last update: **2017/12/22 15:32**