

# Table of Contents

- GCC 5.4.0** ..... 1
- Goal** ..... 1
- Steps** ..... 1
- Building Pre requisites ..... 1
- Library Prerequisites ..... 1
- EXPORTS used to set versions ..... 1
- Fetch MPC ..... 2
- Fetch MPFR ..... 2
- Fetch GMP ..... 2
- Fetch ISL ..... 2
- Fetch CLOOG ..... 2
- Fetch GCC ..... 2
- Copy downloaded libraries in GCC directory ..... 3
- Hardcoded autoconf ..... 3
- missing aclocal-1.15 ..... 3
- Configure GCC ..... 3
- Make GCC ..... 3
- Install GCC ..... 4



[gcc](#), [guide](#), [compile](#)

Difficulty



Hard

# GCC 5.4.0

This guide assumes you are switched to su - . Please note that during the make step you may run into issues check the missing alocal-1.15 section , this guide assumes you are using the eSG provided installation image.

## Goal

Build GCC 5.4.0

## Steps

### Building Pre requisites

```
cd ~
mkdir buildgcc
cd ~/buildgcc
```

### Library Prerequisites

```
yum groupinstall "Development tools"
yum install glibc-devel.i686 glibc.i686 texinfo
```

### EXPORTS used to set versions

You can change the values here to change the compiled version.

```
MPC_VERSION=1.1.0
MPFR_VERSION=4.0.0
GMP_VERSION=6.1.2
ISL_VERSION=0.18
CLOOG_VERSION=0.18.1
```

```
GCC_VERSION=5.4.0
```

## Fetch MPC

```
wget ftp://ftp.gnu.org/gnu/mpc/mpc-${MPC_VERSION}.tar.gz  
tar xzfv mpc-${MPC_VERSION}.tar.gz
```

## Fetch MPFR

```
wget http://www.mpfr.org/mpfr-current/mpfr-${MPFR_VERSION}.tar.bz2  
tar jxvf mpfr-${MPFR_VERSION}.tar.bz2
```

## Fetch GMP

```
wget https://gmplib.org/download/gmp/gmp-${GMP_VERSION}.tar.bz2  
tar jxvf gmp-${GMP_VERSION}.tar.bz2
```

## Fetch ISL

```
wget ftp://ftp.ntua.gr/pub/gnu/gcc/infrastructure/isl-${ISL_VERSION}.tar.bz2  
tar jxvf isl-${ISL_VERSION}.tar.bz2
```

## Fetch CLOOG

```
wget  
ftp://ftp.ntua.gr/pub/gnu/gcc/infrastructure/cloog-${CLOOG_VERSION}.tar.gz  
tar xzfv cloog-${CLOOG_VERSION}.tar.gz
```

## Fetch GCC

```
wget  
ftp://ftp.ntua.gr/pub/gnu/gcc/releases/gcc-${GCC_VERSION}/gcc-${GCC_VERSION}.tar.bz2  
tar jxvf gcc-${GCC_VERSION}.tar.bz2
```

## Copy downloaded libraries in GCC directory

```
cd gcc-`${GCC_VERSION}`
cp -R ../mpc-`${MPC_VERSION}` mpc
cp -R ../mpfr-`${MPFR_VERSION}` mpfr
cp -R ../gmp-`${GMP_VERSION}` gmp
cp -R ../isl-`${ISL_VERSION}` isl
cp -R ../cloog-`${CLOOG_VERSION}` cloog
```

## Hardcoded autoconf

Since autoconf is hardcoded you need to update to your own version Find your version using:

```
rpm -qa | grep autoconf
```

example: autoconf-2.69-11.el7.noarch, thus you have version 2.69 .

Find the following line in config/override.m4

```
m4_ifndef([_GCC_AUTOCONF_VERSION],
  [m4_define([_GCC_AUTOCONF_VERSION], [2.69])])
```

and change the version to your own

## missing aclocal-1.15

Since your version of aclocal may be different you should autoreconf using:

```
autoreconf -ivf
autoreconf -ivf mpfr/
autoreconf -ivf isl/
autoreconf -ivf cloog/
```

## Configure GCC

```
./configure --prefix=/opt/gcc-`${GCC_VERSION}` --enable-multilib --with-
system-zlib
```

## Make GCC

**Warning: This process will take quite a few hours, make sure the build is started in a multiplexer (eg tmux)**

```
make
```

## Install GCC

```
make install
```

This will install GCC in the path you set in configure with `-prefix=`

From:

<https://esgr.in/wiki/> - **eSGR Documentation**

Permanent link:

<https://esgr.in/wiki/software/gcc>

Last update: **2018/01/23 03:21**

